

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Barium hydroxide, 50 g

CAS No: 12230-71-6

EC No: 241-234-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1

Place: D-66459 Kirkel

Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH

Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone number:

+49 (0)681 302-71232

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C - Corrosive, Xn - Harmful

R phrases:

Harmful by inhalation and in contact with skin.

Causes burns.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1B

Hazard Statements:

Harmful if swallowed.

Harmful if inhaled.

Causes severe skin burns and eye damage.

2.2. Label elements

Hazardous components which must be listed on the label

Barium hydroxide

Signal word: Danger

Pictograms: GHS05-GHS07

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 2 of 8



Hazard statements

H302+H332 Harmful if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: $\text{H}_2\text{BaO}_2 \cdot 8\text{H}_2\text{O}$
Molecular weight: 315,46

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
241-234-5	Barium hydroxide	100 %
12230-71-6	C - Corrosive, Xn - Harmful R20/21-34	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H302 H332 H314	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Medical treatment necessary.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 4 of 8

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	colourless
Odour:	No data available

Test method

pH-Value (at 20 °C):	12,5 50 g/l
----------------------	-------------

Changes in the physical state

Melting point:	78 °C
Initial boiling point and boiling range:	No data available
Sublimation point:	No data available
Softening point:	No data available
Flash point:	No data available

Flammability

Solid:	No data available
Gas:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Ignition temperature:	No data available

Auto-ignition temperature

Solid:	No data available
Gas:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	2,18 g/cm³
Water solubility:	No data available
Partition coefficient:	No data available
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Vapour density:	No data available
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available

9.2. Other information

Solid content:	No data available
----------------	-------------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 5 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Acute toxicity, oral. Acute toxicity, inhalant.

CAS No	Chemical name			
	Exposure routes	Method	Dose	Species
12230-71-6	Barium hydroxide			
	oral	ATE	500 mg/kg	
	inhalative vapour	ATE	11 mg/l	
	inhalative aerosol	ATE	1,5 mg/l	

Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 6 of 8

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances
Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

<u>14.1. UN number:</u>	UN3262
<u>14.2. UN proper shipping name:</u>	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	II
Hazard label:	8
Classification code:	C6
Special Provisions:	274
Limited quantity:	1 kg
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 7 of 8

Other applicable information (land transport)

E2

Inland waterways transport (ADN)

14.1. UN number: UN3262
14.2. UN proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Classification code: C6
 Special Provisions: 274
 Limited quantity: 1 kg

Other applicable information (inland waterways transport)

E2

Marine transport (IMDG)

14.1. UN number: UN3262
14.2. UN proper shipping name: ÄTZENDER BASISCHER ANORGANISCHER FESTER STOFF, N.A.G.
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Special Provisions: 274
 Limited quantity: 1 kg
 EmS: F-A, S-B

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN3262
14.2. UN proper shipping name: ÄTZENDER BASISCHER ANORGANISCHER FESTER STOFF, N.A.G.
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Special Provisions: A3 A803
 Limited quantity Passenger: 5 kg
 IATA-packing instructions - Passenger: 859
 IATA-max. quantity - Passenger: 15 kg
 IATA-packing instructions - Cargo: 863
 IATA-max. quantity - Cargo: 50 kg

Other applicable information (air transport)

E2

: Y844

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015

Product code: 9991117

Page 8 of 8

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

20/21 Harmful by inhalation and in contact with skin.
34 Causes burns.

Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.
H302+H332 Harmful if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H332 Harmful if inhaled.