

according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml			
Print date: 14.04.2015	Product code: 9991161		Page 1 of 8
SECTION 1: Identification of the	substance/mixture and of the company	/undertaking	
1.1. Product identifier			
1-Bromobutane, 100	ml		
CAS No:	109-65-9		
EC No:	203-691-9		
1.2. Relevant identified uses of the	substance or mixture and uses advised aga	inst	
Use of the substance/mixture			
Laboratory chemicals	;		
1.3. Details of the supplier of the sa	fety data sheet		
Seller			
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH		
Street:	Im Forstgarten 1		
Place:	D-66459 Kirkel		
Internet:	www.conatex.com		
Supplier			
Company name:	Carbolution Chemicals GmbH		
Street:	Im Stadtwald, Gebäude A1.2		
Place:	D-66123 Saarbrücken		
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232	
e-mail:	michael.bauer@carbolution-chemicals.de		
Internet:	www.carbolution-chemicals.de		
<u>1.4. Emergency telephone</u> number:	+49 (0)681 302-71232		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable, Xi - Irritant, N - Dangerous for the environment R phrases: Highly flammable. Irritating to eyes, respiratory system and skin. Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Highly flammable liquid and vapour. Causes serious eye irritation. May cause respiratory irritation. Causes skin irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements



according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml		
rint date: 14.04.2015	Product code: 9991161	Page 2 of 8
Hazardous components 1-Bromobuta	which must be listed on the label ane	
Signal word:	Danger	
Pictograms:	GHS02-GHS07-GHS09	
Hazard statements		
	l Bach, flagen al la Bacid and construct	
H225	Highly flammable liquid and vapour.	
H315 H319	Causes skin irritation.	
H319 H335	Causes serious eye irritation. May cause respiratory irritation.	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary statemen P210	ts Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No	
FZIU	smoking.	
P240	Ground/bond container and receiving equipment.	
P243	Take precautionary measures against static discharge.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P501	Dispose of contents/container to Waste management.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C4H9Br
Molecular weight:	137.02

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
203-691-9	1-Bromobutane	100 %
109-65-9	F - Highly flammable, Xi - Irritant, N - Dangerous for the environment R11-36/37/38-51-53	
	Flam. Liq. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 2; H225 H315 H319 H335 H411	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Medical treatment necessary.



according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml

Print date: 14.04.2015

Product code: 9991161

Page 3 of 8

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.



according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml

Print date: 14.04.2015

Product code: 9991161

Page 4 of 8

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	No data available

		Test method
pH-Value:	No data available	
Changes in the physical state		
Melting point:	-112 °C	
Initial boiling point and boiling range:	100 °C	
Sublimation point:	No data available	
Softening point:	No data available	
Flash point:	10 °C	
Flammability		
Solid:	No data available	
Gas:	No data available	
Lower explosion limits:	2,8 vol. %	
Upper explosion limits:	6,6 vol. %	
Ignition temperature:	No data available	
Auto-ignition temperature		
Solid:	No data available	
Gas:	No data available	



according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml			
Print date: 14.04.2015	Page 5 of 8		
Vapour pressure: (at 25 °C)	53 hPa		
Vapour pressure: (at 50 °C)	200 hPa		
Density (at 25 °C):	1,276 g/cm³		
Water solubility:	No data available		
Partition coefficient:	2,75		
Viscosity / dynamic:	No data available		
Viscosity / kinematic:	No data available		
Flow time:	No data available		
Vapour density:	4,73		
Evaporation rate:	No data available		
Solvent separation test:	No data available		
Solvent content:	No data available		
9.2. Other information			
Solid content:	No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: Irritant.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.



according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml

Print date: 14.04.2015

Product code: 9991161

Page 6 of 8

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006			
1-Bromobutane, 100 ml			
Print date: 14.04.2015	Product code	e: 9991161	Page 7 of 8
SECTION 14: Transport information			
Land transport (ADR/RID)			
14.1. UN number:	UN1126		
14.2. UN proper shipping name:	1-BROMOBUTANE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	1		
Hazard label:	3		
Classification code:	5 F1		
Limited quantity:	1 L		
Transport category:	2		
Hazard No:	33		
Tunnel restriction code:	D/E		
Other applicable information (land trans E2	port)		
Inland waterways transport (ADN)			
<u>14.1. UN number:</u>	UN1126		
14.2. UN proper shipping name:	1-BROMOBUTANE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	П		
Hazard label:	3		
Classification code:	F1		
Limited quantity:	1 L		
Other applicable information (inland wa	terways transport)		
E2			
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN1126		
14.2. UN proper shipping name:	1-BROMOBUTANE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Special Provisions:	-		
Limited quantity:	1L		
EmS:	F-E, S-D		
Other applicable information (marine tra E2	insport)		
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN1126		
14.2. UN proper shipping name:	1-BROMOBUTANE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Limited quantity Passenger:	1 L		
IATA-packing instructions - Passenger:		353	
IATA-max. quantity - Passenger:		5 L	
IATA-packing instructions - Cargo:		364	



according to Regulation (EC) No 1907/2006

1-Bromobutane, 100 ml			
Print date: 14.04.2015 Product code: 9991161			
IATA-max. quantity - Cargo: 60 L			
Other applicable information (air trans	sport)		
E2 : Y341			
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	yes		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental re	gulations/legislation specific for the substance or mixtu	re	
EU regulatory information			
2004/42/EC (VOC):	100 %		
Additional information			
Safety Data Sheet accordi	ng to Regulation (EC) No. 1907/2006 (REACH)		
National regulatory information			
Water contaminating class (D):	3 - highly water contaminating		
SECTION 16: Other information			
Relevant R-phrases (Number and full	text)		
11 Highly flammable.			
	piratory system and skin.		
 Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. 			
Relevant H- and EUH-phrases (Numbe			
	•		

- H225 Highly flammable liquid and vapour.
 - H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.